

TB Woods to Speed Selector Cross Reference For Direct Pulley Replacement

Brand Series MODEL @1750 PULLEY MIN. Max. HUB MIN. MAX.
HP BELT TYPE OD BORE TYPE BORE RANGE RATIO Pitch Pitch OAL DIA. BELT CL BELT CL Important NOTE

ALL-PRO Spring Loaded Two Movable Faces

TB Woods	ALL-PRO	AP160M*	1.5	1422V*	Spring 2	6.5	End, Thru	7/8 MAX	3.1:1	2.05	6.3	5.5	4	2.75	2.75	*Belt in use affects interchange
Speed Selector	8800	8816	1	1422V	Spring 2	6.5	Collet 7707C	.5 - .875	3.0:1	2.1	6.3	4.375	2.65	2.34	2.34	
TB Woods	ALL-PRO	AP160M*	1.5	1922V*	Spring 2	6.5	End, Thru	7/8 MAX	3.0:1	2.1	6.25	5.5	4	2.75	2.75	*Belt in use affects interchange
Speed Selector	8800	8827	3	1922V	Spring 2	7.75	Collet 508C	.625 - 1.125	3.0:1	2.51	7.53	5.25	3.375	2.81	2.81	
TB Woods	ALL-PRO	AP200N	5	1922V	Spring 2	8.1	End, Thru	.875 - 1.125	3.0:1	2.62	7.87	6.13	5.2	3.07	3.07	
Speed Selector	8800	8827	3	1922V	Spring 2	7.75	Collet 508C	.625 - 1.125	3.0:1	2.51	7.53	5.25	3.375	2.81	2.81	
Speed Selector	8800	7709*	5	2322V*	Spring 2	9	Collet 7709C	.875 - 1.25	3.2:1	2.75	8.75	5.5	3.8	2.75	2.75	*Complete drive replacement
TB Woods	ALL-PRO	AP225P	5	2322V	Spring 2	9.05	Collet AP1C	.875 - 1.188	3.0:1	2.93	8.8	5.75	5.4	2.88	2.88	
Speed Selector	8800	7709	5	2322V	Spring 2	9	Collet 7709C	.875 - 1.25	3.2:1	2.75	8.75	5.5	3.8	2.75	2.75	*Direct Interchange
Speed Selector	8800	8859	5	2322V	Spring 2	9.5	Collet 7710C	.875 - 1.5	3.0:1	3.08	9.25	6.5	5.875	3.4	3.4	
TB Woods	ALL-PRO	AP260T	10	2926V	Spring 2	10.5	Collet AP2C	.875 - 1.5	3.0:1	3.42	10.2	7.48	5.4	3.74	3.74	
TB Woods	ALL-PRO	AP260U	10	3226V	Spring 2	10.5	Collet AP2C	.875 - 1.5	2.4:1	4.23	10.2	7.48	5.4	3.74	3.74	
Speed Selector	8800	8810	10	3226V*	Spring 2	10.5	Collet 7710C	.875 - 1.5	3.0:1	3.4	10.2	7.94	4.43	4.19	4.19	*Also runs with 2926V
TB Woods	ALL-PRO	AP255W	15	4430V	Spring 2	10.4	Collet AP3C	1.375 - 1.938	2.5:1	4	10	9.6	6.67	4.8	4.8	
Speed Selector	8800	8822-2.75	20	4430V	Spring 2	10.4	Collet 7713C	1.125 - 2	2.5:1	4.2	10	9.53	7.125	4.51	4.51	*Direct Interchange
TB Woods	ALL-PRO	AP255S	20	3230HV	Spring 2	10.4	Collet AP3C	1.375 - 1.938	2.5:1	4	10	9.6	6.67	4.8	4.8	
Speed Selector	8800	8822-2	20	3230HV	Spring 2	10.4	Collet 7713C	1.125 - 2	2.5:1	4.2	10	9.53	7.125	4.51	4.51	*Direct Interchange
TB Woods	ALL-PRO	AP321W	10	4430V	Spring 2	13	Collet AP3C	1.375 - 1.938	3.0:1	4.25	12.75	9.6	6.67	4.8	4.8	
Speed Selector	8800	8813	10	4430V	Spring 2	13	Collet 7713C	1.125 - 2	3.0:1	4.2	12.6	9.44	7.125	5.1	5.1	*Direct Interchange
TB Woods	ALL-PRO	AP322W	20	4430V	Spring 2	13	Collet AP3C	1.375 - 1.938	3.0:1	4.25	12.75	9.6	6.67	4.8	4.8	
Speed Selector	8800	8823	20	4430V	Spring 2	13	Collet 7713C	1.125 - 2	3.0:1	4.2	12.6	9.44	7.125	5.1	5.1	*Direct Interchange
TB Woods	ALL-PRO	AP323W	30	4430V	Spring 2	13	Collet AP3C	1.375 - 1.938	3.0:1	4.25	12.75	9.6	6.67	4.8	4.8	
Speed Selector	8800	8833	30	4430V	Spring 2	13	Collet 7713C	1.125 - 2	3.0:1	4.2	12	9.44	7.125	5.1	5.1	*Direct Interchange

